Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	card and (identifier identifying identification serial) and ((registered adj2 provider adj2 identif$5) rid) and java and "235"/$.ccls. not 235/492.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 07:57
S1	166403	card and (identifier identifying identification serial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 10:40
S2	62638	card and (identifier identifying identification serial) near30 (software application code instruction language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 10:17
S3	8	(("20020083322") or ("20030078866") or ("20030212896") or ("20040024735")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 10:17
S4	9814	card and (identifier identifying identification serial) and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 10:55
S5	5040	card and java and (identifier identifying identification serial) near30 (software application code instruction language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/05 10:56
S7	68	card and (identifier identifying identification serial) and ((registered adj2 provider adj2 identif$5) rid) and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 10:43
S8	1	"2005138354".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 07:45
S9	0	S8 and (stor$4 file "7816-5")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 07:45
S10	2	"20050138354".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 07:44
S11	1	(US-20050138354-$).did.	US-PGPUB	OR	OFF	2005/08/18 07:45

S12	1	S11 and (stor$4 file "7816-5")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 08:13
S13	1	S11 and (configur$ applet application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 08:28
S14	1	S11 and (configur$ applet method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 08:29
S15	1	S11 and (configur$ applet install instantiat$ method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 08:54
S16	1	S11 and (configur$ applet install instantiat$ initial$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 11:44
S17	0	S11 and (java near30 api)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:29
S18	6	(("5,751,813") or ("6,092,191") or ("6,092,202") or ("6,317, 838B1") or ("6,353,886B1") or ("6,470,447B1") or ("6,526, 506B1") or ("6,542,993B1") or ("6,553,492B1") or ("6,678, 822B1")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 11:45
S19	20	(("5,751,813") or ("6,092,191") or ("6,092,202") or ("6,317, 838") or ("6,353,886") or ("6,470,447") or ("6,526,506") or ("6,542,993") or ("6,553,492") or ("6,678,822")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:35
S23	0	S11 and download	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 13:36
S24	0	S11 and (session transaction service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 13:40
S25	1	S11 and (memory power resource indicat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:16

S26	12	applet near30 (resource memory) near10 remain$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:26
S29	249	(applet servlet code scrypt) near30 (resource power memory) near10 remain$4 near30 (indicat$4 show$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:31
S30	2	(applet servlet code scrypt) near30 (resource power memory) near10 remain$4 near30 (indicat$4 show$4) and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:32
S31	3	(applet servlet java) near30 (resource power memory) near10 remain$4 near30 (indicat$4 show$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:35
S32	51	(applet servlet java) near30 (resource power memory) near30 remain$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:46
S33	3	(applet servlet java) near30 (variable parameter value) near30 (resource power memory) near30 remain$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:47
S34	340	(applet servlet java) near30 (variable parameter value) near30 (resource power memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 14:47
S35	1	S11 and (management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:22
S36	0	S11 and (install)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:22
S37	1	S11 and (install$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:38
S38	1	S11 and (install$ initial$ instantiat$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:39

S39	1	S11 and (install$ initial$ instantiat$ application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:41
S40	1918	card and (identifier identifying identification serial) and ((registered adj2 provider adj2 identif$5) rid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:28
S41	9	card and (identifier identifying identification serial) and ((registered adj2 provider adj2 identif$5) rid) and 235/492.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:33
S42	294	card and (identifier identifying identification serial) and ((registered adj2 provider adj2 identif$5) rid) and "235"/$.ccls. not 235/492.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/19 07:56